
# GRAYT INTERACTIVE FLAT PANEL

# GRAYT Interactive Flat Panelfor Education & Business











A comprehensive offering to meet the needs of a wide range of applications

# **Key features of GRAYT H-Series Series:**

2<sup>nd</sup> Generation ZERO BONDING TECHNOLOGY on Android 13 Platform ensures feather smooth & real time writing experience

- □ 4K UHD (3840 × 2160) @ 60Hz
- ☐ 4mm Toughened Glass
- ☐ Advanced IR technology
- □ touch points 40
- $\square$  Brightness: upto 500 cd / m2
- ☐ Statis Contrast: upto 5000:1
- Response Time Continuity < 2 ms
- □ BYOD enabled Wireless Casting□ Upto 60,000 hrs panel life
- □ +/-1 mm touch accuracy

- ☐ Android 11.0 Upgradable to 13
- □ 8GB RAM, upto128GB ROM
- ☐ Quad-Core / Octa Core ARM Cortex-A55
- ☐ Mali-G52 MP2 (2EE)
- ☐ Powerful Speakers
- ☐ Content Sharing using QR Code
- ☐ Advanced Interactive Software
- Customised OPS options. loaded with Digital Canvas IWB Software Suite
- ☐ FREE Wall Mount Kit, Floor Mount (Optional)


### A Complete Range of Interactive Displays



Grayt Interactive Flat Panel aids teaching and learning. We provide reliable, high quality yet affordable Interactive Flat Panel Display (IFPD) systems with precise interactive experience, which are ideal for use in classrooms, training rooms, learning centres, and meeting rooms. We offer interactive tools to help teachers engage and inspire their students/learners.

#### Super Accurate Touch Experience:

**GRAYT** Interactive Flat Panels are powered by **Zero Bonding Technology,** supports up to 40 simultaneous multi-touch points. At every channel, you can write, annotate, and take screenshots. creating a precise and fluid writing experience. It also supports Multi-touch gesture control, annotation with multiple pens and colors, gestures to erase, zoom in/out, drag and many more



## Multiply your meeting room productivity

Start Meetings Instantly - More Engaging Presentations - Efficient Information Flow - Increased Collaboration In Meetings - Connect Your Personal Devices - An incredible combination of Touchscreen interactivity and Visual Collaboration.



#### Connecting Mobile Devices

GRAYT Interactive Flat Panel software develops a Wi-Fi-based system for enabling mobile terminal and IFP interaction. You can use the system to link the IFP to a mobile terminal, take a photo and exhibit it on the IFP, control the IFP from the mobile terminal, post comments, present courseware, and send files.



## **Engage Students Like Never Before:**

When students learn or are taught using **Grayt** IFPD, our products ensure that the amount of attention, curiosity, enthusiasm, optimism, and passion they show extends to their motivation to learn and succeed in their education. Simple Design, 4K Resolution, Intuitive Interactive software, Full K12 content support (Optional), Teachers can improve learning outcomes using responsive touch, rich yet simple to use interactive software.



#### **Stunning Display Quality**

GRAYT Interactive panels produces Amazing Visual experience with bright, sharp image & video quality with Ultra HD 4K display resolution & super high contract. Crystal clear display, incredible details, and beautiful pictures combine to provide a true visual feast.



## **Powerful And Crisp Sound**

**Grayt** Interactive Panel uses a unique cavity acoustic structure, the sound is powerful, rich, wide, and sensitive, allowing all participants to experience amazing clarity as well as loud audio output.






DIGITAL CANVAS is an advanced interactive whiteboard software suite for education and corporate training. This software supports whiteboard functions such as writing, erasing, annotating, drawing, and gesture support on IWB/IFP. Furthermore, the flat panel's interactive multimedia functions, such as subject-specific tools and multimedia playback, enable enhanced interactive teaching and demonstration experiences.

# Proudly Manufactured in India

Getting Inspired by the aim of GOI, team GRAYT have started manufacturing of GRAYT Interactive panels in India (SKD/CKD production) with the goal of exporting them worldwide.





Floor Mount Stand

## Full K12 Content

(optional)

GRAYT Education series Interactive Flat Panels come bundled with Interactive, offline and easy to use K12 Digital Content for Smart Classrooms. The content is in sync with CBSE / ICSE / IB / State Board and supports India Regional Languages as well.

# **Optional Accessories:**



# **GRAYT 65-inch Infinity Series Touchscreen Interactive Displays**

Diagonal display size	Model: G65IFP  65 Inch
Bezel color	Aluminum frame Black color
Panel type	Anti-Glare LCD with Direct-lit LED
Active area (mm)	1895.2 x 1065.6mm
Resolution	4K UHD - 3840 x 2160
Pixel Pitch	0.556 mm x 0.556mm
Hardness Glass	Mohs 7 level or above
Glass Panel	Anti-Glare glass with zero bonding
Aspect Ratio	16:9
Contrast Ratio	5000:1
Brightness	400 / 450 / 500 cd/m2
Color depth	1.07 billion colors
Viewing angle	178°
Lifespan	60,000 hours
	Touch Type
Touch Technology	INFRARED Touch (Advanced Infrared Touch Technology)
Touch Interface	Touch Sensitive as well as Pen Driven
Multi Touch	40 Touch points
Touch Precision	1 mm (over 90% Area)
Anti-light	Yes
Minimum object size	2mm
Touch Response Time	First Point <2 ms, Continuation <8 ms
Supporting OS	Windows 7/8/10/11; Android; Mac; Linux; Chrome OS
	Sound
Speakers	Inbuilt 2 Speakers
Front Speakers	20w x 2
Total Power Amplifiers	40w
	Front Side Connections
ont Keys Front Camera/MIC	Power on/off; Signal source; Return; Main page; Menu; Volume down; Volume up, Option of Buil
Provision	Camera (13 MP or 48 MP) & 8 Array MIC
	Front / Bottom / Side Connections
TF Card	1
udio out Audio in (optional)	1+1
adio out Addio ili (optiolial)	
Public USB-A 3.0	4
	4 1
Public USB-A 3.0 OTG USB-A 2.0	
Public USB-A 3.0 OTG USB-A 2.0 Touch out USB B type	1
Public USB-A 3.0 OTG USB-A 2.0	1 1
Public USB-A 3.0 OTG USB-A 2.0 Touch out USB B type LAN-Port IN Out SPDIF	1 1 RJ45 in x1, RJ 45 Out x 1 1
Public USB-A 3.0 OTG USB-A 2.0 Touch out USB B type LAN-Port IN Out SPDIF HDMI IN	1 1 RJ45 in x1, RJ 45 Out x 1 1 2 (Optional up to 4 Ports)
Public USB-A 3.0 OTG USB-A 2.0 Touch out USB B type LAN-Port IN Out SPDIF HDMI IN VGA	1 1 RJ45 in x1, RJ 45 Out x 1 1 2 (Optional up to 4 Ports) 1 (Optional)
Public USB-A 3.0 OTG USB-A 2.0 Touch out USB B type LAN-Port IN Out SPDIF HDMI IN VGA RS 232	1 1 RJ45 in x1, RJ 45 Out x 1 1 2 (Optional up to 4 Ports) 1 (Optional) 1 (Optional)
Public USB-A 3.0 OTG USB-A 2.0 Touch out USB B type LAN-Port IN Out SPDIF HDMI IN VGA RS 232 Optical Port	1 1 RJ45 in x1, RJ 45 Out x 1 1 2 (Optional up to 4 Ports) 1 (Optional) 1 (Optional) 1 (Optional)
Public USB-A 3.0 OTG USB-A 2.0 Touch out USB B type LAN-Port IN Out SPDIF HDMI IN VGA RS 232 Optical Port USB-B (touch)	1 1 RJ45 in x1, RJ 45 Out x 1 1 2 (Optional up to 4 Ports) 1 (Optional) 1 (Optional) 1 (Optional) 1 (Optional) 1
Public USB-A 3.0 OTG USB-A 2.0 Touch out USB B type LAN-Port IN Out SPDIF HDMI IN VGA RS 232 Optical Port USB-B (touch) HDMI OUT	1 1 RJ45 in x1, RJ 45 Out x 1 1 2 (Optional up to 4 Ports) 1 (Optional) 1 (Optional) 1 (Optional) 1 (Optional) 1 1
Public USB-A 3.0 OTG USB-A 2.0 Touch out USB B type LAN-Port IN Out SPDIF HDMI IN VGA RS 232 Optical Port USB-B (touch) HDMI OUT DP	1 RJ45 in x1, RJ 45 Out x 1  1 2 (Optional up to 4 Ports) 1 (Optional)
Public USB-A 3.0 OTG USB-A 2.0 Touch out USB B type LAN-Port IN Out SPDIF HDMI IN VGA RS 232 Optical Port USB-B (touch) HDMI OUT DP USB Type C	1 1 RJ45 in x1, RJ 45 Out x 1 1 2 (Optional up to 4 Ports) 1 (Optional) 1 (Optional) 1 (Optional) 1 (Optional) 1 1 (Optional) 2
Public USB-A 3.0 OTG USB-A 2.0 Touch out USB B type LAN-Port IN Out SPDIF HDMI IN VGA RS 232 Optical Port USB-B (touch) HDMI OUT DP USB Type C Windows OPS Slot	1 RJ45 in x1, RJ 45 Out x 1  1 2 (Optional up to 4 Ports)  1 (Optional) 1 (Optional) 1 (Optional) 1 (Optional) 2 1 (Optional) 2 80-pins OPS slot
Public USB-A 3.0 OTG USB-A 2.0 Touch out USB B type LAN-Port IN Out SPDIF HDMI IN VGA RS 232 Optical Port USB-B (touch) HDMI OUT DP USB Type C Windows OPS Slot WiFi Standard	1 RJ45 in x1, RJ 45 Out x 1  1 2 (Optional up to 4 Ports)  1 (Optional) 1 (Optional) 1 (Optional) 1 (Optional) 2 1 1(Optional) 2 80-pins OPS slot Wifi 802.11n (2.4 GHz and 5 GHz) Dual-Band capability
Public USB-A 3.0 OTG USB-A 2.0 Touch out USB B type LAN-Port IN Out SPDIF HDMI IN VGA RS 232 Optical Port USB-B (touch) HDMI OUT DP USB Type C Windows OPS Slot	1 RJ45 in x1, RJ 45 Out x 1  1 2 (Optional up to 4 Ports)  1 (Optional) 1 (Optional) 1 (Optional) 1 (Optional) 2 (Optional) 2 80-pins OPS slot Wifi 802.11n (2.4 GHz and 5 GHz) Dual-Band capability Standard 5.0 (5.2 & 5.3 Optional)
Public USB-A 3.0 OTG USB-A 2.0 Touch out USB B type LAN-Port IN Out SPDIF HDMI IN VGA RS 232 Optical Port USB-B (touch) HDMI OUT DP USB Type C Windows OPS Slot WiFi Standard Bluetooth version	1 RJ45 in x1, RJ 45 Out x 1 1 2 (Optional up to 4 Ports) 1 (Optional) 1 (Optional) 1 (Optional) 1 (Optional) 2 1 (Optional) 2 80-pins OPS slot Wifi 802.11n (2.4 GHz and 5 GHz) Dual-Band capability Standard 5.0 (5.2 & 5.3 Optional) Touch Central
Public USB-A 3.0 OTG USB-A 2.0 Touch out USB B type LAN-Port IN Out SPDIF HDMI IN VGA RS 232 Optical Port USB-B (touch) HDMI OUT DP USB Type C Windows OPS Slot WiFi Standard Bluetooth version	1 RJ45 in x1, RJ 45 Out x 1 1 2 (Optional up to 4 Ports) 1 (Optional) 1 (Optional) 1 (Optional) 1 (Optional) 2 1 (Optional) 2 80-pins OPS slot Wifi 802.11n (2.4 GHz and 5 GHz) Dual-Band capability Standard 5.0 (5.2 & 5.3 Optional) Touch Central Android 13/14
Public USB-A 3.0 OTG USB-A 2.0 Touch out USB B type LAN-Port IN Out SPDIF HDMI IN VGA RS 232 Optical Port USB-B (touch) HDMI OUT DP USB Type C Windows OPS Slot WiFi Standard Bluetooth version  Android Version CPU	1 RJ45 in x1, RJ 45 Out x 1 1 2 (Optional up to 4 Ports) 1 (Optional) 1 (Optional) 1 (Optional) 1 (Optional) 1 (Optional) 2 1 (Optional) 2 80-pins OPS slot Wifi 802.11n (2.4 GHz and 5 GHz) Dual-Band capability Standard 5.0 (5.2 & 5.3 Optional) Touch Central Android 13/14 High-End (8 Cores A55)
Public USB-A 3.0 OTG USB-A 2.0 Touch out USB B type LAN-Port IN Out SPDIF HDMI IN VGA RS 232 Optical Port USB-B (touch) HDMI OUT DP USB Type C Windows OPS Slot WiFi Standard Bluetooth version  Android Version CPU GPU	1 RJ45 in x1, RJ 45 Out x 1 1 2 (Optional up to 4 Ports) 1 (Optional) 1 (Optional) 1 (Optional) 1 (Optional) 1 (Optional) 2 1 (Optional) 2 80-pins OPS slot Wifi 802.11n (2.4 GHz and 5 GHz) Dual-Band capability Standard 5.0 (5.2 & 5.3 Optional) Touch Central Android 13/14 High-End (8 Cores A55) High-End Mali-G52 MP2
Public USB-A 3.0 OTG USB-A 2.0 Touch out USB B type LAN-Port IN Out SPDIF HDMI IN VGA RS 232 Optical Port USB-B (touch) HDMI OUT DP USB Type C Windows OPS Slot WiFi Standard Bluetooth version  CPU GPU Memory	1 RJ45 in x1, RJ 45 Out x 1  1 2 (Optional up to 4 Ports)  1 (Optional)  1 (Optional)  1 (Optional)  1 (Optional)  1 1 (Optional)  2 80-pins OPS slot Wifi 802.11n (2.4 GHz and 5 GHz) Dual-Band capability Standard 5.0 (5.2 & 5.3 Optional)  Touch Central  Android 13/14 High-End (8 Cores A55) High-End Mali-G52 MP2 8 GB Ram
Public USB-A 3.0 OTG USB-A 2.0 Touch out USB B type LAN-Port IN Out SPDIF HDMI IN VGA RS 232 Optical Port USB-B (touch) HDMI OUT DP USB Type C Windows OPS Slot WiFi Standard Bluetooth version  CPU GPU	1 RJ45 in x1, RJ 45 Out x 1 1 2 (Optional up to 4 Ports) 1 (Optional) 1 (Optional) 1 (Optional) 1 (Optional) 1 (Optional) 2 80-pins OPS slot Wifi 802.11n (2.4 GHz and 5 GHz) Dual-Band capability Standard 5.0 (5.2 & 5.3 Optional) Touch Central Android 13/14 High-End (8 Cores A55) High-End Mali-G52 MP2

#### Contact us:

#### **GRAYEYE IT SYSTEMS PRIVATE LIMITED**

Work-EZ The Ark,No: 449/2C1A1,Rajiv Gandhi Salai, OMR,Sholinganallur, Chennai - 600 119

Phone No.: +91 8925876450 Email: support@grayeyeit.com Website: www.grayeyeit.com



# **GRAYT 65-inch Infinity Series Touchscreen Interactive Displays**

	General Information
Power Supply	~ 100-240 V (50/60Hz)
Switch On / Off	Yes
Standby Energy Consumption	<0.5 Watt
Net Weight	50
Gross Weight	60
Screen Dimensions	1707.2*84.9*1012.7mm
VESA Standard	400x600mm, 4xM8
	Environmental conditions
Operating Temperature	0°C - 38C/32- 100 F
Storage Temperature	-10°C- 60°C/-4 - 140 °F
Storage Humidity	10 %-60%
Usage Humidity	20 %-85%
5 5 6	Accessories
Accessories	Stylus x2, Remote control x1, 1.5m power cord x1, 1.5m HDMI cable x 1, 1.5m USB touch cable x 1; wall mount kit x 1
OPS Computer (Optional	Customised OPS computer with options of Core i3/ i5/ i7 CPU, customised SSD, HDD, RAM OS available
	Software
Device Management Software	Yes - Optional
Interactive Software	On Android embedded system contains feature rich & advanced Interactive Whiteboard Software On Windows Feature rich DIGITAL CANVAS IWB suite is available for interactive usage with OPS or
	External PC/ Laptop
Warranty	3/5 Years Onsite Warranty

# **Optional Accessories**





A wide choice of OPS

Ducksteen first in feature reflected and moniformies and monif

#### Contact us

#### **GRAYEYE IT SYSTEMS PRIVATE LIMITED**

Work-EZ The Ark,No: 449/2C1A1,Rajiv Gandhi Salai, OMR,Sholinganallur, Chennai - 600 119 Phone No.: +91 8925876450

Email: support@grayeyeit.com Website: www.grayeyeit.com

